

Chapter 9 FRQ Homework

1.

$$f(x) = \begin{cases} \frac{\cos x - 1}{x^2} & \text{for } x \neq 0 \\ -\frac{1}{2} & \text{for } x = 0 \end{cases}$$

The function f , defined above, has derivatives of all orders. Let g be the function defined by

$$g(x) = 1 + \int_0^x f(t) dt.$$

- Write the first three nonzero terms and the general term of the Taylor series for $\cos x$ about $x = 0$. Use this series to write the first three nonzero terms and the general term of the Taylor series for f about $x = 0$.
- Use the Taylor series for f about $x = 0$ found in part (a) to determine whether f has a relative maximum, relative minimum, or neither at $x = 0$. Give a reason for your answer.
- Write the fifth-degree Taylor polynomial for g about $x = 0$.
- The Taylor series for g about $x = 0$, evaluated at $x = 1$, is an alternating series with individual terms that decrease in absolute value to 0. Use the third-degree Taylor polynomial for g about $x = 0$ to estimate the value of $g(1)$. Explain why this estimate differs from the actual value of $g(1)$ by less than $\frac{1}{6!}$.

2.

The Maclaurin series for the function f is given by $f(x) = \sum_{n=2}^{\infty} \frac{(-1)^n (2x)^n}{n-1}$ on its interval of convergence.

- Find the interval of convergence for the Maclaurin series of f . Justify your answer.
- Show that $y = f(x)$ is a solution to the differential equation $xy' - y = \frac{4x^2}{1+2x}$ for $|x| < R$, where R is the radius of convergence from part (a).

3.

The function f is defined by the power series

$$f(x) = 1 + (x+1) + (x+1)^2 + \cdots + (x+1)^n + \cdots = \sum_{n=0}^{\infty} (x+1)^n$$

for all real numbers x for which the series converges.

- Find the interval of convergence of the power series for f . Justify your answer.
- The power series above is the Taylor series for f about $x = -1$. Find the sum of the series for f .
- Let g be the function defined by $g(x) = \int_{-1}^x f(t) dt$. Find the value of $g\left(-\frac{1}{2}\right)$, if it exists, or explain why $g\left(-\frac{1}{2}\right)$ cannot be determined.
- Let h be the function defined by $h(x) = f(x^2 - 1)$. Find the first three nonzero terms and the general term of the Taylor series for h about $x = 0$, and find the value of $h\left(\frac{1}{2}\right)$.

4.

Let f be the function given by $f(x) = \frac{2x}{1+x^2}$.

- (a) Write the first four nonzero terms and the general term of the Taylor series for f about $x = 0$.
- (b) Does the series found in part (a), when evaluated at $x = 1$, converge to $f(1)$? Explain why or why not.
- (c) The derivative of $\ln(1+x^2)$ is $\frac{2x}{1+x^2}$. Write the first four nonzero terms of the Taylor series for $\ln(1+x^2)$ about $x = 0$.
- (d) Use the series found in part (c) to find a rational number A such that $\left|A - \ln\left(\frac{5}{4}\right)\right| < \frac{1}{100}$. Justify your answer.